A Guide to *MP* Volume 38
1999 Subject Index

This is an alphabetical list of primary topics included in Volume 38 of *MP*. Subject classifications are followed by issue number, then page number. An alphabetized list of authors appears on p. 86.

ACIDS
Preventing acid phosphate attack in phosphate programs for high-pressure boilers, 12-56

ALUMINUM AND ALLOYS
Anodes, in seawater, 1-34

ANODES
See also CATHODIC PROTECTION
Al, long-term performance in seawater and marine soil, 1-34
Anode-to-cathode ratio in damaged coated tubing, 1-51
Circuit reconfiguration of sedimentation basins, 12-36
Sacrificial, retrofitting in the Arabian Gulf, 8-24
Thermal spray anodes for impresssed CP, 1-27
Thermal-spray Zn anodes for galvanic CP, 12-28

ATMOSPHERIC CORROSION
Hot-dip galvanized bolts, 3-66
Marine aerosol effect on, 4-72

BACTERIA
See MICROBIAL ATTACK

BOILERS
High-pressure, preventing acid phosphate attack, 12-56
High-pressure tubes, phosphate attack as caustic corrosion in, 3-72

CATHODIC PROTECTION
See also ANODES
AC pipeline corrosion, 2-24
Al anodes in seawater and marine soil, 1-34
Buried intermixed steel pipes, galvanic corrosion of, 3-33
Cu grounding systems, conflicts with, 9-34
Corrosion coupons and probes, location, 5-77
Corrosion monitoring system for a reinforced concrete transit tunnel, 3-26
Electrical contacts on gas distribution pipelines, verifying, 4-33, 7-27
Galvanic, thermal-spray Zn anodes for, 12-28
Impressed current CP of concrete structures, thermal-spray anodes for, 1-27
Impressed current, power requirements, 12-34
Interference, fundamentals of, 9-30
Managing CP interfaces at the St. Fergus Gas Terminal, 8-30
Mitigation under disbonded coating, 6-30
Monitoring
  line current with permanently mounted ammeters, 11-30
  installation, leak detection under aboveground storage tanks, 10-22
  offshore platform, 4-26
  Trans-Alaska Pipeline System, 11-18
New reinforcing steel, remediation of, 5-30
Retrofitting asphalt storage tanks, 7-20
Sacrificial anodes, retrofitting in the Arabian Gulf, 8-24
Sedimentation basin anode circuit reconfiguration, 12-36
Stray current
  control in rehabilitating rail transit facilities, 5-36
  mitigation for natural gas pipeline, 11-26

CHEMICAL TREATMENT
Biocorrosion in geothermal power plant, 4-52
Corrosion inhibitors
  by phospates in cooling water, 3-52
  evaluation for materials used in closed cooling water systems, 9-54
  for high-temperatures, 5-60
  for localized corrosion, 10-50
  selection at elevated temperatures, 2-53
  testing and selection for exploration and production, 6-56
Improving cooling water system performance, 2-48
Iron bacteria fouling of CS heat exchanger, 1-55
Light hydrocarbon condensate pipelines, assessing corrosion behavior of, 8-50
Managing cooling water contracts and alliances, 1-63
Migrating corrosion inhibitor protection of concrete, 11-52
Monitoring bacteria in waters, 7-40
Preventing acid attack in high-pressure boilers, 12-56

COATINGS
Anode-to-cathode ratio in damaged coated tubing, 1-51
Application instructions, 10-38
Cathodic disbondment and shielding, 2-42
Concrete, high-voltage spark testing and pinhole elimination, 10-42
Consider the unexpected, 3-37
Diamond, applications, 6-21
Disbonded, corrosion mitigation under, 6-30
Failures,
  consequences of, 10-40
  laboratory techniques for analysis of, 10-32
  primary cause of, 6-48
Fluoropolymers as chemical process vessel linings, 6-42
Galvanic aluminized, corrosion resistance on Type 304 SS, 7-32
Galvanized, resistance to white rust, 3-40
High-solids epoxy, 5-46
Hot-dipped galvanized steel, painting over, 12-44
Industry, California paint manufacturing regulation, 10-18
In situ pipeline internal, in the North Sea, 8-38
Joint coating and field repair, 2-35
Metallized, for steel bridges, 4-43
Projects, need for pre-job meeting, 12-50
Protective
  effects of industry downsizing, 6-24
  failure modes of, 4-38
Specifications,
  existing, updating and using, 5-52
  including colors in, 1-48
Systems, effect of seagull droppings on, 3-37
Thickness, measurement in a multi-coat system, 2-45
Underground pipeline tape and shrink sleeve systems, rating, 11-40

CONCRETE
Coatings, 10-42
Migrating corrosion inhibitor protection of, 11-52
Reinforced concrete of the Rio-Colorado-Tijuana Aqueduct, corrosion of, 5-80
Reinforced concrete structures, impressed current CP for, 1-27

COPPER AND ALLOYS
Grounding systems conflict with CP, 9-34

FATIGUE FAILURE
Convoluted gasket failure, 11-68

FEATURE ARTICLES (VARIOUS SUBJECTS)
Advance leads to new diamond coatings applications, 6-21
Building a qualified pipeline workforce, 2-18
California regulation stirs up paint industry, 10-18
Corrosion control milestones: a look back, 12-16
Cost of corrosion studies underway, 5-26
Education, experience, job function drive corrosion salary levels, 1-20
Effects of downsizing engineering and maintenance staffs, 6-24
Liberty Bell 7—Recovery and restoration, 9-22
Introducing the first *MP* editorial advisory board, 3-22
MP welcomes chemical treatment experts to EAB, 6-18
Protecting the Sable Offshore Energy Project, 8-18
Regulation changes create opportunities for pipeline manufacturers, 9-26
Repairing America's deteriorating bridges, 5-20
The good old days? Punch card searches, 12-24
Trans-Alaska Pipeline System—A multi-component approach to CP monitoring, 11-18

GALVANIC CORROSION
Buried intermixed new and old steel pipes, 3-33
Effects, 6-72
Remedy, 4-78

GAS
See NATURAL GAS; OIL AND GAS PRODUCTION

HEAT EXCHANGERS
See also BOILERS; POWER PLANTS
Carbon steel, fouling of, 1-55
Stress corrosion cracking, 7-60

A Guide to *MP* Volume 38
1999 Subject Index

This is an alphabetical list of primary topics included in Volume 38 of *MP*. Subject classifications are followed by issue number, then page number. An alphabetized list of authors appears on p. 86.

ACIDS
Preventing acid phosphate attack in phosphate programs for high-pressure boilers, 12-56

ALUMINUM AND ALLOYS
Anodes, in seawater, 1-34

ANODES
See also CATHODIC PROTECTION
Al, long-term performance in seawater and marine soil, 1-34
Anode-to-cathode ratio in damaged coated tubing, 1-51
Circuit reconfiguration of sedimentation basins, 12-36
Sacrificial, retrofitting in the Arabian Gulf, 8-24
Thermal spray anodes for impresssed CP, 1-27
Thermal-spray Zn anodes for galvanic CP, 12-28

ATMOSPHERIC CORROSION
Hot-dip galvanized bolts, 3-66
Marine aerosol effect on, 4-72

BACTERIA
See MICROBIAL ATTACK

BOILERS
High-pressure, preventing acid phosphate attack, 12-56
High-pressure tubes, phosphate attack as caustic corrosion in, 3-72

CATHODIC PROTECTION
See also ANODES
AC pipeline corrosion, 2-24
Al anodes in seawater and marine soil, 1-34
Buried intermixed steel pipes, galvanic corrosion of, 3-33
Cu grounding systems, conflicts with, 9-34
Corrosion coupons and probes, location, 5-77
Corrosion monitoring system for a reinforced concrete transit tunnel, 3-26
Electrical contacts on gas distribution pipelines, verifying, 4-33, 7-27
Galvanic, thermal-spray Zn anodes for, 12-28
Impressed current CP of concrete structures, thermal-spray anodes for, 1-27
Impressed current, power requirements, 12-34
Interference, fundamentals of, 9-30
Managing CP interfaces at the St. Fergus Gas Terminal, 8-30
Mitigation under disbonded coating, 6-30
Monitoring
  line current with permanently mounted ammeters, 11-30
  installation, leak detection under aboveground storage tanks, 10-22
  offshore platform, 4-26
  Trans-Alaska Pipeline System, 11-18
New reinforcing steel, remediation of, 5-30
Retrofitting asphalt storage tanks, 7-20
Sacrificial anodes, retrofitting in the Arabian Gulf, 8-24
Sedimentation basin anode circuit reconfiguration, 12-36
Stray current
  control in rehabilitating rail transit facilities, 5-36
  mitigation for natural gas pipeline, 11-26

CHEMICAL TREATMENT
Biocorrosion in geothermal power plant, 4-52
Corrosion inhibitors
  by phospates in cooling water, 3-52
  evaluation for materials used in closed cooling water systems, 9-54
  for high-temperatures, 5-60
  for localized corrosion, 10-50
  selection at elevated temperatures, 2-53
  testing and selection for exploration and production, 6-56
Improving cooling water system performance, 2-48
Iron bacteria fouling of CS heat exchanger, 1-55
Light hydrocarbon condensate pipelines, assessing corrosion behavior of, 8-50
Managing cooling water contracts and alliances, 1-63
Migrating corrosion inhibitor protection of concrete, 11-52
Monitoring bacteria in waters, 7-40
Preventing acid attack in high-pressure boilers, 12-56

COATINGS
Anode-to-cathode ratio in damaged coated tubing, 1-51
Application instructions, 10-38
Cathodic disbondment and shielding, 2-42
Concrete, high-voltage spark testing and pinhole elimination, 10-42
Consider the unexpected, 3-37
Diamond, applications, 6-21
Disbonded, corrosion mitigation under, 6-30
Failures,
  consequences of, 10-40
  laboratory techniques for analysis of, 10-32
  primary cause of, 6-48
Fluoropolymers as chemical process vessel linings, 6-42
Galvanic aluminized, corrosion resistance on Type 304 SS, 7-32
Galvanized, resistance to white rust, 3-40
High-solids epoxy, 5-46
Hot-dipped galvanized steel, painting over, 12-44
Industry, California paint manufacturing regulation, 10-18
In situ pipeline internal, in the North Sea, 8-38
Joint coating and field repair, 2-35
Metallized, for steel bridges, 4-43
Projects, need for pre-job meeting, 12-50
Protective
  effects of industry downsizing, 6-24
  failure modes of, 4-38
Specifications,
  existing, updating and using, 5-52
  including colors in, 1-48
Systems, effect of seagull droppings on, 3-37
Thickness, measurement in a multi-coat system, 2-45
Underground pipeline tape and shrink sleeve systems, rating, 11-40

CONCRETE
Coatings, 10-42
Migrating corrosion inhibitor protection of, 11-52
Reinforced concrete of the Rio-Colorado-Tijuana Aqueduct, corrosion of, 5-80
Reinforced concrete structures, impressed current CP for, 1-27

COPPER AND ALLOYS
Grounding systems conflict with CP, 9-34

FATIGUE FAILURE
Convoluted gasket failure, 11-68

FEATURE ARTICLES (VARIOUS SUBJECTS)
Advance leads to new diamond coatings applications, 6-21
Building a qualified pipeline workforce, 2-18
California regulation stirs up paint industry, 10-18
Corrosion control milestones: a look back, 12-16
Cost of corrosion studies underway, 5-26
Education, experience, job function drive corrosion salary levels, 1-20
Effects of downsizing engineering and maintenance staffs, 6-24
Liberty Bell 7—Recovery and restoration, 9-22
Introducing the first *MP* editorial advisory board, 3-22
MP welcomes chemical treatment experts to EAB, 6-18
Protecting the Sable Offshore Energy Project, 8-18
Regulation changes create opportunities for pipeline manufacturers, 9-26
Repairing America's deteriorating bridges, 5-20
The good old days? Punch card searches, 12-24
Trans-Alaska Pipeline System—A multi-component approach to CP monitoring, 11-18

GALVANIC CORROSION
Buried intermixed new and old steel pipes, 3-33
Effects, 6-72
Remedy, 4-78

GAS
See NATURAL GAS; OIL AND GAS PRODUCTION

HEAT EXCHANGERS
See also BOILERS; POWER PLANTS
Carbon steel, fouling of, 1-55
Stress corrosion cracking, 7-60

A Guide to *MP* Volume 38
1999 Subject Index

INSPECTION
Corrosion testing in Kraft Pulp Mill flash tanks, 11-62

LININGS
Chemical process vessel, fluoropolymers as, 6-42
Rubber, for electrolysis of Cl in mercury cells, 1-44
Scrubber, relining of in flue gas desulfurization plants, 9-42

LOCALIZED ATTACK
See also MICROBIAL ATTACK
Inhibition of, 10-50

MARINE ENVIRONMENTS
See OFFSHORE STRUCTURES; SEAWATER

MATERIALS & DESIGN
ASTM update for SS, 2-69
ASTM update for SS II, 10-60
Atmospheric corrosion, marine aerosol effect, 4-72
Carbamates, 12-74
CASTI handbook review, 10-64
Cast tube alloy performance in an ethylene pyrolysis test heater, 6-66
Caustic cracking from KOH in syngas, 1-73
Corrosion coupons and probes, location of, 5-77
Corrosion testing in Kraft Pulp Mill flash tanks, 11-62
Dissimilar metal welds in hot H and H_2S service, 7-56
Effects of solvent exposures in plastics and elastomers, 6-75
ERW line pipes, reliability of, 2-63
Fatigue, convoluted gasket failure, 11-68
Fracture of Alloy-600-Alloy 500 choke valve, 6-78
FRP piping, 12-70
Galvanic corrosion remedy, 4-78
Galvanic effects accelerate corrosion, 6-72
Graphitic corrosion, 8-68
Heat tints on SS, 2-72
Hot-dip galvanized bolts, atmospheric corrosion of, 3-66
Hydrogen phenomena and SSC definitions, 3-77
Liberty Bell 7, recovery and restoration of, 9-22
Oil change causes wet CO_2 corrosion, 2-70
Optimizing surface quality of SS alloys, 1-77
Permanganate pitting of SS in water-handling systems, 9-70
Phosphate attack as caustic corrosion in boiler tubes, 3-72
Polluting environment, overhead power delivery systems, 8-62
Pollution damage to Powell Building, 12-64
Problems with storage of high-level nuclear wastes, 1-80
Refinery crude corrosiveness, critical factors, 7-48
Reinforced concrete, corrosion of, 5-80
SS as long-lasting rebar, 5-72
SSC of plate-type heat exchanger, 7-60
Tank corrosion from insulation chlorides, 11-70
Thermal desalination plants, vapor-side corrosion in, 4-66
Torque elimination fittings, 9-64
Weathering steels, failures of, 10-62
Wrought SS, dual marking and evaluation of, 10-58

MICROBIAL ATTACK
See also LOCALIZED ATTACK
Biocorrosion in a geothermal power plant, 4-52
Iron bacteria fouling of CS heat exchanger, 1-55
Monitoring of bacteria in waters, 7-40

NATURAL GAS
See also OIL AND GAS PRODUCTION
Distribution pipelines, verifying electrical CP on, 4-33, 7-27
Sable Offshore Energy Project, 8-18

NICKEL AND ALLOYS

OFFSHORE STRUCTURES
See also SEAWATER
Platform, CP monitoring of, 4-26
Retrofitting sacrificial anodes in the Arabian Gulf, 8-24
Sable Offshore Energy Project, protecting, 8-18

OIL AND GAS PRODUCTION
See also NATURAL GAS
Caustic cracking from KOH in Syngas, 1-73
Corrosion inhibitor selection and testing, 6-56
Flue gas desulfurization plants, relining of scrubbers in, 9-42
Light hydrocarbon condensate, assessing corrosion behavior of, 8-50
Operator Qualification Rule, 2-18
Sable Offshore Energy Project, protecting, 8-18
Trans-Alaska Pipeline System, 11-18

PAINT
See COATINGS

PIPELINES
Alternating currents (AC) effect on, 2-24
Electric resistance welded, reliability of, 2-63
Light hydrocarbon condensate, assessing corrosion behavior of, 8-50
Operator Qualification Rule, 2-18
Regulations create opportunities for manufacturers, 9-26
Trans-Alaska Pipeline System, CP monitoring, 11-18
Verifying electrical CP contacts on gas distribution pipelines, 4-33, 7-27

PIPES
Buried cast iron pipes, graphitic corrosion of, 8-68
ERW line, reliability of, 2-63
Old steel, 3-33

PITTING ATTACK
See LOCALIZED ATTACK

POWER PLANTS
See also BOILERS; HEAT EXCHANGERS
Geothermal, biocorrosion in, 4-52
Overhead power delivery systems, impact of polluting environment on, 8-62
Thermal desalinization, vapor-side corrosion in, 4-52

REBAR
See CONCRETE

REFINERIES
See also OIL AND GAS PRODUCTION
Crude corrosiveness, influences on, 7-48

RUBBER
Linings, for electrolysis of Cl in mercury cells, 1-44

SEAWATER
See also MARINE ENVIRONMENTS; OFFSHORE STRUCTURES
Liberty Bell 7, recovery and restoration of, 9-22
Long-term performance of Al anodes, 1-34

STEELS, CARBON
Heat exchanger, fouling of, 1-55

STEELS, STAINLESS
ASTM update for, 2-69, 10-60
Heat tints on, 2-72
Optimizing surface quality of, 1-77
Rebar material, 5-72
Type 304
corrosion resistance with galvanic aluminum coating, 7-32
and Type 316, permanganate pitting in water-handling systems, 9-70
Wrought, dual marking and corrosion evaluation, 10-58

STRESS CORROSION CRACKING
Caustic cracking from KOH in Syngas, 1-73
Plate-type heat exchanger, 7-60

TANKS
Corrosion of, attributed to insulation chlorides leached by storm water, 11-70

TITANIUM AND ALLOYS
Liberty Bell 7, recovery and restoration of, 9-22

WATER, COOLING
Contracts and alliances, managing of, 1-63
Corrosion inhibitor evaluation for materials in closed systems, 9-54
Inhibition by phosphates of mild steel and cast iron in, 3-52
System performance, improving, 2-48

WELDS AND WELDMENTS
Dissimilar metals, in hot hydrogen and H_2S, 7-56
Electric resistance welded pipeline, reliability of, 2-63

ZINC AND ALLOYS
Thermal-spray anodes, 12-28

1999 *MP* Index

Author Index

Abusowa, K., 6-78
Ackx, G., 12-50
Ahmed, S., 4-66
Alansari, N.G., 8-24
Alberizzi, M., 3-26
Al-Khalidi, M., 4-66
Al-Moaili, K., 4-66
Andrenacci, A., 2-35
Armon, R., 1-55
Asrar, N., 4-66
Avery, R.E., 2-72

Ballesteros-Almanza, M.L., 4-52
Baptista, W., 1-34
Bayer, G.T., 7-32
Bennett, J.E., 12-28
Bergman, D.D., 7-32
Bijen, J., 5-46
Bjegovic, D., 11-52
Bosma, R., 5-36
Boswell, M., 7-27
Brydl, D., 4-43
Bullard, S.J., 1-27, 12-28
Byars, H.G., 1-51, 3-37, 5-77

Cayard, M.S., 7-48
Cederquist, S.C., 2-18, 5-21, 5-26, 6-21, 8-19, 9-22, 11-18
Chapman, D. 12-70
Chevrot, T., 10-50
Chico, B., 4-72
Chirinos, J.G., 7-56
Chung, S.C., 3-40
Clapham, J., 2-53
Clarke, S.J., 11-62
Collins, W.K., 1-27
Covino, B.S. Jr., 1-27, 12-28
Cramer, S.D., 1-27, 12-28
Crolet, J-L., 2-63

Da Costa, J.C.M., 1-34
Davies, M., 7-40
Davison, R.M., 2-69, 10-60
Dean, S.W., 1-73
De Bruyn, H.J., 2-48
De Romero, M.F., 3-72
Dexter, S.C., 4-78
Dillon, C.P., 6-75, 12-74
Dobis, J.D., 7-56
Doe, B.R., 12-64

Eggelston, J.R., 12-64
El-Batahgy, A-L., 7-60
El Shawesh, F., 6-78
Erickson, T., 11-68

Fairfull, C.L., 10-40
Fenner, J., 9-42
Fischer, R.J., 3-66
Fitzgerald, J.H. III, 2-42, 5-36, 10-22, 12-34
Freeman, S.R., 8-68
Frumuselu, D., 8-62

Gaddi, F., 3-26
Galimberti, P., 3-26
Gal-Or, L., 3-52
González, J.J., 8-50
Goolsby, A.D., 4-26
Gorman, C.D., 3-66
Groysman, A., 1-55
Gummow, R.A., 2-24
Gunalton, Y.M., 10-50

Hendrix, D.E., 6-66
Hernández-Duque, G., 4-52, 5-80
Highsmith, C., 4-43
Holcomb, G.R., 1-27, 12-28
Hollander, O., 12-56
Hopkinson, B.E., 7-56
Hsien, C.C., 3-40
Humble, P.G., 2-53

Jacobson, G.A., 3-22, 6-18, 10-18, 12-16
James, J.S., 8-30
Jelinek, J., 8-38
Johnson, J.R., 6-48
Joosten, M.W., 2-53

Kane, R.D., 7-48
Kapusta, S.D., 6-56
Kiefer, J.H., 8-24
Kirkpatrick, E.L., 9-34
Kissel, C.L., 5-60
Klechka, E., 6-30
Kobrin, G., 10-58
Kogler, R.A. Jr., 4-43
Kolts, J., 2-53
Koszewski, L., 7-20
Kovach, C.W., 9-70
Krantz, B., 6-72

Langill, T.J., 12-44
Lara, P.F., 6-30
Laylor, H.M., 12-28
Lazzari, L., 3-26
Lewis, M., 12-24, 12-36
Lichtenstein, J., 1-48, 2-45, 5-52, 9-30, 10-38
Lilly, J., 10-58
Littleton, J.H., 1-21
Lynch, C., 8-30

MacDiarmid, 10-58
Malik, A.U., 4-66
Manian, L., 5-30
Mariaca, L., 4-72
Maurer, J.R., 1-77
Mauri, A., 1-44
Maxwell, J.L., 4-33, 11-26
McGill, G.E., 1-27
Meier, C.K., 10-22
Miksic, M., 11-52
Moccari, A.A., 9-54
Moniz, B., 10-58
Morcillo, M., 4-72
Mordarski, J.G., 2-35

Navarrete-Bedolla, M., 4-52
Navarro, A., 3-72
Nienaber, M.C., 2-48
Neill, W.J. Jr., 11-70
Norsworthy, R., 11-40

Otero, E., 4-72

Paladines, F., 5-36
Peabody, A.W., 3-33
Peart, D., 1-63
Penuela, L.E., 7-56
Perdomo, J.J., 8-50
Pérez, O., 3-72
Pinto, R., 1-63

Quintero, M., 5-80

Radu, C., 8-62
Rampf, J., 2-48
Reddy, M.M., 12-64
Robinson, E.R., 9-64
Rosas, N., 5-80
Russel, J.H., 12-28

Sampedro, J.A., 5-80
Sánchez-Yañez, J.M., 4-52
Santon, J., 9-26
Sauvage, M., 2-63
Schauhoff, S., 5-60
Scott, P.J.B., 7-40
Segall, S.M., 2-24
Setterlund, R.B., 2-70
Shamim, M., 9-34
Shih, H.C., 3-40
Skaggs, R.L., 7-32
Smith, F.N., 5-72
Smorodin, A., 3-52
Starostina, M., 3-52
Starosvetsky, D., 1-55
Starosvetsky, J., 1-55
Stead, N.J., 11-62
Streicher, M.A., 1-80
Stephans, L.C., 6-42
Surkein, M., 5-30
Swain, W.H., 11-30

Thomason, W.H., 8-24
Tossano, J.B., 9-64
Townsend, H.E., 3-66
Tullmin, M., 5-72
Tuthill, A.H., 2-72

Valdez, B., 5-80
Valdéz-Salas, B., 4-52
Van Montfort, J., 5-46
Viloria, A., 8-50
Vincent, L.D., 4-38, 6-24, 10-62
Vivero, J., 5-80

Wakelin, R.G., 2-24
Weldon, D.G., 10-32
Wolfson, S.L., 4-26
Wong, D., 2-35